

H Statements

- H200 – Unstable explosives.
- H201 – Explosive; mass explosion hazard.
- H202 – Explosive, severe projection hazard.
- H203 – Explosive; fire, blast or projection hazard.
- H204 – Fire or projection hazard.
- H205 – May mass explode in fire.
- H220 – Extremely flammable gas.
- H221 – Flammable gas.
- H222 – Extremely flammable aerosol.
- H223 – Flammable aerosol.
- H224 – Extremely flammable liquid and vapour.
- H225 – Highly flammable liquid and vapour.
- H226 – Flammable liquid and vapour.
- H228 – Flammable solid.
- H240 – Heating may cause an explosion.
- H241 – Heating may cause a fire or explosion.
- H242 – Heating may cause a fire.
- H250 – Catches fire spontaneously if exposed to air.
- H251 – Self-heating; may catch fire.
- H252 – Self-heating in large quantities; may catch fire.
- H260 – In contact with water releases flammable gases which may ignite spontaneously.
- H261 – In contact with water releases flammable gases.
- H270 – May cause or intensify fire; oxidiser.
- H271 – May cause fire or explosion; strong oxidiser.
- H272 – May intensify fire; oxidiser.
- H280 – Contains gas under pressure; may explode if heated.
- H281 – Contains refrigerated gas; may cause cryogenic burns or injury.
- H290 – May be corrosive to metals.
- H300 – Fatal if swallowed.
- H301 – Toxic if swallowed.
- H302 – Harmful if swallowed.
- H304 – May be fatal if swallowed and enters airways.
- H310 – Fatal in contact with skin.
- H311 – Toxic in contact with skin.
- H312 – Harmful in contact with skin.
- H314 – Causes severe skin burns and eye damage.
- H315 – Causes skin irritation.
- H317 – May cause an allergic skin reaction.
- H318 – Causes serious eye damage.
- H319 – Causes serious eye irritation.
- H330 – Fatal if inhaled.
- H331 – Toxic if inhaled.
- H332 – Harmful if inhaled.
- H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 – May cause respiratory irritation.
H336 – May cause drowsiness or dizziness.
H340 – May cause genetic defects exposure cause the hazard>.
H341 – Suspected of causing genetic defects.
H350 – May cause cancer.
H351 – Suspected of causing cancer.
H360 – May damage fertility or the unborn child.
H361 – Suspected of damaging fertility or the unborn child.
H362 – May cause harm to breast-fed children.
H370 – Causes damage to organs.
H371 – May cause damage to organs.
H372 – Causes damage to organs through prolonged or repeated exposure causes the hazard.
H373 – May cause damage to organs through prolonged or repeated exposure causes the hazard.
H400 – Very toxic to aquatic life.
H410 – Very toxic to aquatic life with long lasting effects.
H411 – Toxic to aquatic life with long lasting effects.
H412 – Harmful to aquatic life with long lasting effects.
H413 – May cause long lasting harmful effects to aquatic life.

EUH Statements

EUH 001 – Explosive when dry.
EUH 006 – Explosive with or without contact with air.
EUH 014 – Reacts violently with water.
EUH 018 – In use, may form flammable/explosive vapour-air mixture.
EUH 019 – May form explosive peroxides.
EUH 044 – Risk of explosion if heated under confinement.
EUH 029 – Contact with water liberates toxic gas.
EUH 031 – Contact with acids liberates toxic gas.
EUH 032 – Contact with acids liberates very toxic gas.
EUH 066 – Repeated exposure may cause skin dryness or cracking.
EUH 070 – Toxic by eye contact.
EUH 071 – Corrosive to the respiratory tract.
EUH 059 – Hazardous to the ozone layer.
EUH 201 – Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.
EUH 201A – Warning! Contains lead.
EUH 202 – Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH 203 – Contains chromium (VI). May produce an allergic reaction.
EUH 204 – Contains isocyanates. May produce an allergic reaction.
EUH 205 – Contains epoxy constituents. May produce an allergic reaction.
EUH 206 – Warning! Do not use together with other products. May release dangerous gases (chlorine)

EUH 207 – Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.
EUH 208 – Contains (name of sensitising substance). May produce an allergic reaction.
EUH 209 – Can become highly flammable in use.
EUH 209A – Can become flammable in use.
EUH 210 – Safety data sheet available on request.
EUH 401 – To avoid risks to human health and the environment, comply with the instructions for use.

P Statements

P101 – If medical advice is needed, have product container or label at hand.
P102 – Keep out of reach of children.
P103 – Read label before use.
P201 – Obtain special instructions before use.
P202 – Do not handle until all safety precautions have been read and understood.
P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P211 – Do not spray on an open flame or other ignition source.
P220 – Keep/Store away from clothing/.../combustible materials.
P221 – Take any precaution to avoid mixing with combustibles...
P222 – Do not allow contact with air.
P223 – Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P230 – Keep wetted with...
P231 – Handle under inert gas.
P232 – Protect from moisture.
P233 – Keep container tightly closed.
P234 – Keep only in original container.
P235 – Keep cool.
P240 – Ground/bond container and receiving equipment.
P241 – Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242 – Use only non-sparking tools.
P243 – Take precautionary measures against static discharge.
P244 – Keep reduction valves free from grease and oil.
P250 – Do not subject to grinding/shock/.../friction.
P251 – Pressurized container: Do not pierce or burn, even after use.
P260 – Do not breathe dust/fume/gas/mist/vapours/spray.
P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.
P262 – Do not get in eyes, on skin, or on clothing.
P263 – Avoid contact during pregnancy/while nursing.
P264 – Wash ... thoroughly after handling.
P270 – Do not eat, drink or smoke when using this product.
P271 – Use only outdoors or in a well-ventilated area.
P272 – Contaminated work clothing should not be allowed out of the workplace.
P273 – Avoid release to the environment.
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P281 – Use personal protective equipment as required.

P282 – Wear cold insulating gloves/face shield/eye protection.
P283 – Wear fire/flame resistant/retardant clothing.
P284 – Wear respiratory protection.
P285 – In case of inadequate ventilation wear respiratory protection.
P231 + P232 – Handle under inert gas. Protect from moisture.
P235 + P410 – Keep cool. Protect from sunlight.
P301 – IF SWALLOWED:
P302 – IF ON SKIN:
P303 – IF ON SKIN (or hair):
P304 – IF INHALED:
P305 – IF IN EYES:
P306 – IF ON CLOTHING:
P307 – IF exposed:
P308 – IF exposed or concerned:
P309 – IF exposed or if you feel unwell:
P310 – Immediately call a POISON CENTER or doctor/physician.
P311 – Call a POISON CENTER or doctor/physician.
P312 – Call a POISON CENTER or doctor/physician if you feel unwell.
P313 – Get medical advice/attention.
P314 – Get medical advice/attention if you feel unwell.
P315 – Get immediate medical advice/attention.
P320 – Specific treatment is urgent (see ... on this label).
P321 – Specific treatment (see ... on this label).
P322 – Specific measures (see ... on this label).
P330 – Rinse mouth.
P331 – Do NOT induce vomiting.
P332 – If skin irritation occurs:
P333 – If skin irritation or rash occurs:
P334 – Immerse in cool water/wrap in wet bandages.
P335 – Brush off loose particles from skin.
P336 – Thaw frosted parts with lukewarm water. Do not rub affected area.
P337 – If eye irritation persists:
P338 – Remove contact lenses, if present and easy to do. Continue rinsing.
P340 – Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P341 – If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342 – If experiencing respiratory symptoms:
P350 – Gently wash with plenty of soap and water.
P351 – Rinse cautiously with water for several minutes.
P352 – Wash with plenty of soap and water.
P353 – Rinse skin with water/shower.
P360 – Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P361 – Remove/Take off immediately all contaminated clothing.
P362 – Take off contaminated clothing and wash before reuse.
P363 – Wash contaminated clothing before reuse.
P370 – In case of fire:
P371 – In case of major fire and large quantities:

P372 – Explosion risk in case of fire.
P373 – DO NOT fight fire when fire reaches explosives.
P374 – Fight fire with normal precautions from a reasonable distance.
P375 – Fight fire remotely due to the risk of explosion.
P376 – Stop leak if safe to do so.
P377 – Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P378 – Use ... for extinction.
P380 – Evacuate area.
P381 – Eliminate all ignition sources if safe to do so.
P390 – Absorb spillage to prevent material damage.
P391 – Collect spillage.
P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301 + P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P301 + P330 + P331 – IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302 + P334 – IF ON SKIN: Immerse in cool water/wrap in wet bandages.
P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water.
P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304 + P341 – IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P306 + P360 – IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P307 + P311 – IF exposed: Call a POISON CENTER or doctor/physician.
P308 + P313 – IF exposed or concerned: Get medical advice/attention.
P309 + P311 – IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P332 + P313 – If skin irritation occurs: Get medical advice/attention.
P333 + P313 – If skin irritation or rash occurs: Get medical advice/attention.
P335 + P334 – Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
P337 + P313 – If eye irritation persists: Get medical advice/attention.
P342 + P311 – If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P370 + P376 – In case of fire: Stop leak if safe to do so.
P370 + P378 – In case of fire: Use ... for extinction.
P370 + P380 – In case of fire: Evacuate area.
P370 + P380 + P375 – In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
P371 + P380 + P375 – In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P401 – Store ...
P402 – Store in a dry place.
P403 – Store in a well-ventilated place.
P404 – Store in a closed container.

P405 – Store locked up.
P406 – Store in corrosive resistant/... container with a resistant inner liner.
P407 – Maintain air gap between stacks/pallets.
P410 – Protect from sunlight.
P411 – Store at temperatures not exceeding ... oC/...oF.
P412 – Do not expose to temperatures exceeding 50 oC/122oF.
P413 – Store bulk masses greater than ... kg/... lbs at temperatures not exceeding ... oC/...oF.
P420 – Store away from other materials.
P422 – Store contents under ...
P402 + P404 – Store in a dry place. Store in a closed container.
P403 + P233 – Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 – Store in a well-ventilated place. Keep cool.
P410 + P403 – Protect from sunlight. Store in a well-ventilated place.
P410 + P412 – Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.
P411 + P235 – Store at temperatures not exceeding ... oC/...oF. Keep cool.
P501 – Dispose of contents/container to ...